

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	80	713/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 08:29
L2	175	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 08:39
L3	471	counter with increment with connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 08:39
L4	1225	726/22.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 08:42
L5	105	monotonically adj increasing adj counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 08:46
S1	1056	726/22.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:36
S2	79	713/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:36
S3	4366	(initial adj sequence adj number) OR ISN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:55

S4	573178	(data adj connection adj protocol) or TCP or (transmission adj control adj protocol) or IP or (internet ADJ proticl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:57
S5	586695	(data adj connection adj protocol) or TCP or (transmission adj control adj protocol) or IP or (internet ADJ protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:57
S6	1862	S3 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:57
S7	91	S6 and (380 726 713). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:58
S8	20	S3.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 11:03
S9	6	("20030084175"   "20040133798"   "20040249948").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 11:08
S10	166	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 11:19
S11	6477	monotonically adj increasing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 11:29
S12	22	S11 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 11:29

S13	16	(US-20010009025-\$ or US-20010042200-\$ or US-20010052072-\$ or US-20030084175-\$ or US-20030108044-\$ or US-20040098620-\$ or US-20040098619-\$ or US-20040111635-\$ or US-20050160289-\$ or US-20060133277-\$).did. or (US-5958053-\$ or US-5892903-\$ or US-6209039-\$ or US-6850982-\$ or US-6405251-\$).did. or (US-20020089984-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/02/06 13:32
S14	0	S13 and (collision or collide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:33
S15	4471	counter same (collision or collide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:34
S16	737	counter same (collision or collide) same (prevent or ensure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:37
S17	119	counter with (collision or collide) with (prevent or ensure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:38
S18	4366	(initial adj sequence adj number) OR ISN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:38
S19	2	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:38

S20	2	S16 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:39
S21	5	S15 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:39
S22	6	counter with (collision or collide) with (prevent or ensure) with connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:41
S23	586695	(data adj connection adj protocol) or TCP or (transmission adj control adj protocol) or IP or (internet ADJ protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:42
S24	2	counter with (collision or collide) with (prevent or ensure) with S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:42
S25	2	counter with (collision or collide) with (prevent or ensure) same S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:43
S26	8	counter with (collision or collide) with (prevent or ensure) and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:44
S27	0	((monontically adj increasing) with counter) same (collision or collide) same S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:47
S28	0	((monontically adj increasing) with counter) same (collision or collide) and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:47

S29	0	((monotonically adj increasing) with counter) and (collision or collide) and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
S30	0	((monotonically adj increasing) with counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
S31	1	((monotonically adj increasing) with counter) same (collision or collide) same S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
S32	6	((monotonically adj increasing) with counter) and (collision or collide) and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
S33	189	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation or compute or comutation or computing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:55
S34	191	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation or compute or computation or computing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:56
S35	166	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:56
S36	25	S34 not S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:56

S37	1627	(creat\$3 or generat\$3 or comput\$3 or computation or calculat\$3 or determine) WITH ((initial adj sequence adj number) or ISR or ISN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:27
S38	587	S37 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:30
S39	313	S38 and counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:30
S40	162	S39 and (collide or collision)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:33
S41	47	S40 NOT (Interrupt adj service adj routine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:46
S42	43	S41 not (integrated ADJ switch adj router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:48
S43	26	S40 NOT (Interrupt adj (service or status) adj (routine or register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:50
S44	7	(sequence and number and attack).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:46
S45	3594	(sequence and number).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:49

S46	1204	(sequence adj number).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:49
S47	46	(sequence adj number).ti. and (TCP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:51
S48	29	22FB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:24
S49	1	0x000022FB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:26
S50	21	(US-20010009025-\$ or US- 20010042200-\$ or US- 20010052072-\$ or US- 20030084175-\$ or US- 20030108044-\$ or US- 20040098620-\$ or US- 20040098619-\$ or US- 20040111635-\$ or US- 20050160289-\$ or US- 20060133277-\$ or US- 20040008681-\$ or US- 20040062267-\$ or US- 20050132077-\$).did. or (US-5958053-\$ or US- 5892903-\$ or US-6209039- \$ or US-6850982-\$ or US- 6405251-\$ or US-5937066- \$ or US-7321926-\$).did. or (US-20020089984-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/02/07 09:28
S51	2	S50 and 32K	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:29

S52	451	counter with increment with connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:32
S53	0	counter with increment with connection with 32K	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:32
S54	145	counter with (increment or increase) with connection with value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:35
S55	11	counter with (increment or increase) with connection with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:54
S56	6	counter with (increment or increase) with (connection near3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:55
S57	9	counter with (increment or increase) with (connection) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:58
S59	34	(rate NEAR3 connection) with below with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:10
S60	58	(rate NEAR3 connection) same (below with threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:24
S61	22278	data adj transfer adj rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:31



S62	42	(data adj transfer adj rate) with ((Less adj than) or beneath or lower) with (specified or target or threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:34
S63	0	(data adj transfer adj rate) with ((Less adj than) or beneath or lower) with (specified or target or threshold) with disconnectconnect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:39
S64	1	(data adj transfer adj rate) with ((Less adj than) or beneath or lower) with (specified or target or threshold) with disconnect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:39
S65	504	disconnect with (re adj connect)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:40
S66	2	disconnect with (re adj connect) with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:41
S67	27	disconnect\$3 with (re adj connect\$3) with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:41
S68	0	variable with increment with (16K or 32K)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:48
S69	11888	variable with increment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:50
S70	4819	("16" adj "k")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:51

S71	1	variable with increment with ("16" adj "K") or ("32" adj "K"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:52
S72	1	variable with increment same ("16" adj "K") or ("32" adj "K"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:53
S73	50	variable with increment and ("16" adj "K") or ("32" adj "K"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:53
S74	7	"25.6" adj "K"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:02
S75	1629	"256" adj "K"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:09
S76	70	("256" adj "K") with connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:10
S77	1	("256" adj "K") with connect\$3 with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:13
S78	2	((("256" adj "K") or 256K) with connect\$3 with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:14
S79	2313	(reconnect\$3 or (re adj connect\$3)) with after with disconnect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:20

S80	91	(reconnect\$3 or (re adj connect\$3)) with after with disconnect\$3 with immediat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:21
S81	115	increment with (16K or ("16" adj "K") Or 32K or ("32" adj "K") or "16000" or "32000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:25
S82	18	(increment or increase) with (16K or ("16" adj "K") Or 32K or ("32" adj "K") or "16000" or "32000") with (counter or timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:27
S83	14	(increment or increase) with (16K or ("16" adj "K") or 32K or ("32" adj "K") or "16000" or "32000") with (counter or timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:28
S84	826	counter with increase with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:35
S85	20	counter with increase with threshold with (ms or millisecond)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:37
S86	20	counter with increase with threshold with ("ms" or millisecond)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:37
S87	792	counter with increase with ("ms" or millisecond)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:39
S88	151	counter with increase with ("ms" or millisecond) with (rate or speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:40

S89	62	TCP with spoof\$3 with attack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 14:09
-----	----	----------------------------------	---	----	----	---------------------

7/ 17/ 2008 8:50:54 AM

C:\ Documents and Settings\ mmcally\ My Documents\ EAST\ Workspaces\ 10779950.wsp